## IN THE-CLAIMS:

Each of claims 1, 2, 3, 6, and 7 has been amended herein and new claim 21 has been added. Additionally, previously withdrawn claims 4, 5, and 8 through 20 have been cancelled herein without prejudice or disclaimer. Please note that all claims currently pending and under consideration in the referenced application are shown below. This listing of claims will replace all prior versions and listings of claims in the application.

## **Listing of Claims:**

- 1. (Currently Amended) A method of insulating a case of a-rocket motor case loaded with a solid propellant, said-the method comprising:

  preparing insulation from a composition comprising a crosslinkable cross-linkable liquid polymer and carbon fibers, the composition including the cross-linkable cross-linkable liquid polymer in a sufficient concentration to permit the carbon fibers to be dispersed into the composition by mixing under substantially solvent-free conditions; and curing the composition to form the insulation-and; shaping the insulation into at least one sheet; and insulating the case of the rocket motor case with the at least one sheet of insulation.
- 2. (Currently Amended) A method of insulating a case of a rocket motor case loaded with a solid propellant, said method comprising:

  preparing insulation from a composition comprising a crosslinkable cross-linkable EPDM terpolymer and carbon fibers, the crosslinkable cross-linkable EPDM terpolymer comprising a crosslinkable cross-linkable liquid EPDM terpolymer in a sufficient concentration to permit the carbon fibers to be dispersed into the composition by mixing under substantially solvent-free conditions; and curing the composition to form the insulation insulation; and insulating the case of the rocket motor case with the insulation.

3	3.	(Currently Amended) The method of claim 2, wherein said-insulating the rocket		
motor ca	ase con	nprises applying the insulation to an interior surface of the rocket motor case and		
interposi	ing the	insulation between the interior surface and the solid propellant.		
4	<b>l</b> .	(Canceled)		
5	5.	(Canceled)		
6	5.	(Currently Amended) The method of claim 3, wherein at least about 90 weight		
percent of	of the	erosslinkable cross-linkable EPDM terpolymer in the composition consists of the		
erosslink	<del>kable <u>c</u></del>	ross-linkable liquid EPDM terpolymer.		
7	7.	(Currently Amended) The method of claim 3, wherein said-preparing of-the		
insulatio	n com	prises mixing the composition in a vertical-blade mixer or sigma-blade mixer.		
8	3.	(Canceled)		
9	).	(Canceled)		
1	^			
1	.0.	(Canceled)		
1	1	(Cancalad)		
1	1.	(Canceled)		
1	2.	(Canceled)		
	<b></b>	(Cantoliou)		
1	.3.	(Canceled)		
•	· =- •	<b>\</b> /		

14.,	(Canceled)	 
15.	(Canceled)	
16.	(Canceled)	
17.	(Canceled)	
18.	(Canceled)	
19.	(Canceled)	
20.	(Canceled)	